

Appointment

From: Leo Brausch [Lbrausch@brauschenv.com]
Sent: 11/8/2016 7:53:58 PM
To: Leo Brausch [Lbrausch@brauschenv.com]; Santos, Carmen [Santos.Carmen@epa.gov]
CC: Rykaczewski, Dave A. [dave.rykaczewski@wspgroup.com]; Romano, Amy M. [amy.romano@wspgroup.com]; Cousineau, Mark S. [markc@hmcinc.biz]; Diana Olson [diana.olson@hagerpacific.com]; Rob Neal [rob.neal@hagerpacific.com]; Carvalho, Moises@DTSC [Moises.Carvalho@dtsc.ca.gov]; Wilson, Patrick [Wilson.Patrick@epa.gov]; Shukla.Roy-Semmen@dtsc.ca.gov
Subject: Former Westinghouse Facility, Rancho Dominguez, CA - Follow Up Call on November 9, 2016 and not November 10
Location: Dial-In Number: (605) 475-2090; Passcode 8834113#
Start: 11/10/2016 6:00:00 PM
End: 11/10/2016 7:00:00 PM
Show Time As: Busy

Recurrence: (none)

This appears to be the most workable time.

From: Santos, Carmen [mailto:Santos.Carmen@epa.gov]
Sent: Monday, November 07, 2016 5:14 PM
To: Leo Brausch <Lbrausch@brauschenv.com>
Cc: Rykaczewski, Dave A. <dave.rykaczewski@wspgroup.com>; Romano, Amy M. <amy.romano@wspgroup.com>; Cousineau, Mark S. <markc@hmcinc.biz>; Diana Olson <diana.olson@hagerpacific.com>; Rob Neal <rob.neal@hagerpacific.com>; Carvalho, Moises@DTSC <Moises.Carvalho@dtsc.ca.gov>; Wilson, Patrick <Wilson.Patrick@epa.gov>; Shukla.Roy-Semmen@dtsc.ca.gov

Subject: RE: Former Westinghouse Facility, Rancho Dominguez, CA - Follow Up Call on November 9, 2016 and not November 10

Greetings,

I have read everyone's email responses regarding the call with CBS. I have moved one of my already scheduled Thursday November 10 appointments to another day so we can have the call this week. I can now do the call on Thursday November 10 from 10:00 am to 11:00 am PT (1:00 to 2:00 pm ET). I hope everyone can make the call on that date and time. I have a call that same day on another matter that starts at 11:00 am PT.

If the above date and time does not work, the next available date would be November 18, anytime. I prefer having the call the week of November 7 rather than next week. This project needs to move forward.

Best,

Carmen

Carmen D. Santos

PCB Coordinator
USEPA Region 9 (LND-4-1)
Land Division
75 Hawthorne Street
San Francisco, CA 94105
Voice: 415.972.3360

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. Think Green.

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Leo Brausch [<mailto:Lbrausch@brauschenv.com>]

Sent: Monday, November 07, 2016 12:00 PM

To: Santos, Carmen <Santos.Carmen@epa.gov>

Cc: Rykaczewski, Dave A. <dave.rykaczewski@wspgroup.com>; Romano, Amy M. <amy.romano@wspgroup.com>; Cousineau, Mark S. <markc@hmcinc.biz>; Diana Olson <diana.olson@hagerpacific.com>; Rob Neal <rob.neal@hagerpacific.com>; Carvalho, Moises@DTSC <Moises.Carvalho@dtsc.ca.gov>; Wilson, Patrick <Wilson.Patrick@epa.gov>; Shukla.Roy-Semmen@dtsc.ca.gov

Subject: RE: Former Westinghouse Facility, Rancho Dominguez, CA - Follow Up Call on November 9, 2016 and not November 10

Carmen,

I am not available for a call on Wednesday, November 9, 2016 at 12:00 pm to 1:00 pm EST. Please note that I did not receive your emails from November 3, 2016, as those were sent to my CBS email box (Leo.Brausch@cbs.com) and not to my office email (lbrausch@brauschenv.com). As I have requested in the past, please do not use the CBS account since I no longer have an office at CBS and only check that mailbox very infrequently. I suggest you delete that address from your contacts.

I have apparently missed several emails and will now go back through those to catch up. With respect to a conference call, I can do the following times next week (I understand you are not available Thursday or Friday of this week):

Monday, November 14: 11:00 am to 3:30 pm EST

Tuesday, November 15: 11:00 am to 12:00 pm EST

Friday, November 18: 11:00 am to 3:30 pm EST

Please let me know what works with you.

Leo M. Brausch

Office: (704) 246-7266

Cell: (412) 720-8549

Fax: (980) 339-3017

From: Brausch, Leo M [<mailto:Leo.Brausch@cbs.com>]

Sent: Monday, November 07, 2016 2:32 PM

To: Leo Brausch <Lbrausch@brauschenv.com>

Subject: Fw: Former Westinghouse Facility, Rancho Dominguez, CA - Follow Up Call on November 9, 2016 and not November 10



From: Mark Cousineau <markc@hmcinc.biz>

Sent: Monday, November 7, 2016 2:17 PM

To: Santos, Carmen

Cc: Brausch, Leo M; Carvalho, Moises@DTSC; Rykaczewski, Dave A.; Rob Neal; Shukla.Roy-Semmen@dtsc.ca.gov; Cepko, Russ P; Wilson, Patrick; Romano, Amy M.; Diana Olson

Subject: Re: Former Westinghouse Facility, Rancho Dominguez, CA - Follow Up Call on November 9, 2016 and not November 10

Carmen,

This would work for the Hager Pacific team though Rob Neal would only be available for the first 45 minutes. Please circulate a dial in number.

thx

Mark Cousineau, REA II

Principal

Hazard Management Consulting Inc.

211 West Avenida Cordoba Suite 200

San Clemente, CA 92672

(949) 361-3902 p

(949) 361-3697 f

(949) 689-5165 c

markc@hmcinc.biz

<https://www.hightail.com/u/Dacous>

On Nov 3, 2016, at 5:09 PM, Santos, Carmen <Santos.Carmen@epa.gov> wrote:

Hello,

Given some last minute changes in my work schedule and appointments, I will need to move the call to Wednesday November 9, 2016, 12:00 pm to 1:00 pm ET (9:00 to 10:00 am PT). I just found out about a few appointments that are back on my calendar.

Best,

Carmen

Carmen D. Santos

PCB Coordinator

USEPA Region 9 (LND-4-1)

Land Division

75 Hawthorne Street

San Francisco, CA 94105

Voice: 415.972.3360

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. Think Green.

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Santos, Carmen

Sent: Thursday, November 03, 2016 12:14 PM

To: Brausch, Leo M <Leo.Brausch@cbs.com>; 'Carvalho, Moises@DTSC' <Moises.Carvalho@dtsc.ca.gov>; 'Rykaczewski, Dave A.' <dave.rykaczewski@wspgroup.com>; 'Rob Neal' <rob.neal@hagerpacific.com>; 'Shukla.Roy-Semmen@dtsc.ca.gov' <Shukla.Roy-Semmen@dtsc.ca.gov>; 'Cepko, Russ P' <Russ.Cepko@cbs.com>; Wilson, Patrick <Wilson.Patrick@epa.gov>; 'Romano, Amy M.' <amy.romano@wspgroup.com>; 'Mark Cousineau - HMC' <Markc@hmcinc.biz>; 'Diana Olson' <diana.olson@hagerpacific.com>

Subject: Former Westinghouse Facility Building, Rancho Dominguez, CA - Follow Up Call

Greetings,

I am responding to Leo's November 1, 2016 email proposing dates and times for a follow-up call on the former Westinghouse facility and specifically, the former facility building. The call is to go over (1) Leo's November 1, 2016 email together with EPA's October 25, 2016 email containing comments on the draft outline for the PCB cleanup application and (2) solve any issues that remain from the previous call. One desired outcome from this call is a schedule from CBS / Hager Pacific to submit a revised outline for the PCB cleanup application and the actual draft application for EPA's review. I would like to receive and finalize agreements on the second draft of the outline for the PCB cleanup application by November 16, 2016.

The application is to address the cleanup of PCBs in the interior of the building, which is a high priority. Cleanup of PCBs that may be present in other areas of the facility and the adjacent railroad spur will be discussed at a later date. November 11, 2016 is Veterans Day, an observed federal holiday. For the call next week, I am considering November 10, 2016 from 1:00 pm to 2:30 pm ET (10:00 am to 11:30 am PT).

Please let me know if the date and time that I am considering for the follow-up call is also convenient for you.

Finally, as one next step from the September 28, 2016 call, CBS would confirm the cleanup and screening levels for PCBs in the interior of the building. The literature references used in determining a reasonable value for PCBs in non-porous surfaces inside the building were provided to CBS. We would like to receive confirmation of the cleanup and screening levels that CBS / Hager Pacific plan on applying to the interior of the building during the follow-up call that we are scheduling for the week of November 7, 2016.

Thank you for your courtesies.

Best,

Carmen

Carmen D. Santos

PCB Coordinator

USEPA Region 9 (LND-4-1)

Land Division

75 Hawthorne Street
San Francisco, CA 94105
Voice: 415.972.3360

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the thinks you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. Think Green.

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}